


**NOTES:**

1. ADEQUATE STRUCTURAL SUPPORTS, NUMBER AND TYPE OF FASTENERS REQUIRED TO COMPLY WITH APPLICABLE CODES, SHOULD BE DETERMINED BY PROJECT A/E.
2. HYDROSEAL MUST EXTEND 4" MIN. ONTO THE APPROVED SUBSTRATE BEYOND THE MM6125 TERMINATION.
3. REFER TO DETAIL HS1K-1 FOR THE PROPER APPLICATION OF HYDROSEAL 1K

 A SIKA COMPANY	<b>Monolithic Membrane</b> <b>6125-FR</b> WITH HYDROSEAL 1K
<b>AMERICAN HYDROTECH, INC.</b>	

<b>TYPICAL PARAPET</b> <b>APPROVED BOARD/METAL DECK</b>	
<b>SCALE: NONE</b> <b>DATE: 06/08/23</b>	<b>HS1K-5B</b>

This information is intended only for general conceptual purposes. It is based on data and knowledge considered to be true and correct. It is offered for the user's consideration, investigation and verification and is not intended to substitute for the advice provided by appropriate professionals. Hydrotech assumes no liability for the use of this information. The determination of the suitability and applicability of this information is the sole responsibility of the user.